

## GENERAL NOTES






- 1) THIS INFORMATION CONFORMS TO ALL APPLICABLE STANDARDS FOR FIRE TRAINING SIMULATORS AT THE TIME OF PREPARATION.
- 2) THE ERECTION CONTRACTOR ASSUMES RESPONSIBILITY FOR ALL MATERIALS, AT THE TIME OF DELIVERY. THIS CONTRACTOR IS ALSO RESPONSIBLE TO ACCOUNT FOR ALL MATERIAL, AT TIME OF DELIVERY. IF THERE IS A DISCREPANCY IN THE MATERIAL DELIVERED, CONTACT WHP TRAININGTOWERS IMMEDIATELY IN ORDER TO MAKE PROPER ARRANGEMENTS TO PROVIDE THE NECESSARY MATERIAL.
- 3) THIS SET OF DRAWINGS IS INTENDED AS A CONCEPTUAL SET, PROVIDED FOR SECONDARY REFERENCE ONLY. REFER TO BEHLEN INDUSTRIES CONSTRUCTION DRAWINGS AND THE MISCELLANEOUS METALS DRAWINGS AS PRIMARY REFERENCE FOR EXACT MATERIAL DIMENSIONS, ERECTION, AND PROCEDURES.
- 4) THESE DRAWINGS, SPECIFICATIONS, IDEAS, DESIGNS, AND ARRANGEMENTS ARE AND SHALL REMAIN THE PROPERTY OF WHP TRAININGTOWERS AND NO PART THEREOF SHALL BE COPIED, REPRODUCED, OR USED IN CONNECTION WITH ANY WORK OR PROJECT OTHER THAN THE SPECIFIC PROJECT FOR WHICH THEY HAVE BEEN PREPARED WITHOUT WRITTEN CONSENT FROM WHP TRAININGTOWERS.
- 5) WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL TAKE PRIORITY OVER SCALED DIMENSIONS. INSTALLING CONTRACTORS OR OWNERS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE DBB AND WHP TRAININGTOWERS SHALL BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS OR DISCREPANCIES FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. ANY FIELD CHANGES OR MODIFICATIONS TO EITHER THE STRUCTURE OR ADDITIVE COMPONENTS MUST BE REPORTED AND APPROVED BY WHP TRAININGTOWERS PRIOR TO PERFORMING ANY WORK.
- 6) MISCELLANEOUS FIELD CUTTING AND FITTING OF BOTH STRUCTURAL AS WELL AS LIGHT GAUGE FRAMING COMPONENTS WILL BE NECESSARY TO BE ABLE TO PERFORM THE INSTALLATION PROCEDURES REQUIRED AND WILL BE CONSIDERED AS A STANDARD CONDITION AND REQUIREMENT FOR ERECTION OF THIS LIVE FIRE TRAINING SIMULATOR AND ITS COMPONENTS.
- 7) DOORS SHALL BE PAINTED 18 GA HOT-DIPPED GALVANIZED HOLLOW METAL SLABS WITH CONTINUOUSLY WELDED SEAMS. DOOR FRAMES SHALL BE 1" PAINTED 16 GA HOT-DIPPED GALVANIZED FRAMES. EACH EXTERIOR NON-BURN ROOM DOOR SHALL BE PROVIDED WITH (3) HEAVY-DUTY STAINLESS STEEL BALL BEARING HINGES, (1) COMMERCIAL GRADE KEYED LOCKSET, AND (2) DOOR MUTES. EACH INTERIOR NON-BURN ROOM DOOR SHALL BE PROVIDED WITH (3) HEAVY-DUTY STAINLESS STEEL BALL BEARING HINGES, (1) COMMERCIAL GRADE PASSAGE SET, AND (2) DOOR MUTES. EACH BURN ROOM DOOR SHALL BE PROVIDED WITH (3) HEAVY-DUTY STAINLESS STEEL BALL BEARING HINGES, (2) SPRING-TYPE CLOSING DEVICES, (1) DOOR PULL, (1) ADJUSTABLE BALL CATCH, AND (1) 8" LOCKABLE BARREL BOLT FOR USE IN SECURING THE BUILDING WHEN NOT IN USE. ANY DOUBLE DOORS SHALL BE PROVIDED WITH (1) METAL SWING CHANNEL. ALL DOOR FRAMES THAT DO NOT SIT ON THE CONCRETE STEM WALL SHALL EXTEND 6' FROM THE BOTTOM OF DOOR SLAB. ALL DOORS SHALL HAVE (1) HIGH-TEMP DOOR SWEEP INSTALLED ON THE OUTSWING SIDE OF THE DOOR. THE DOOR SWEEP SHALL DRAG AGAINST THE FINISHED FLOOR LEVEL.
- 8) WINDOW CLOSURES SHALL BE PAINTED 12 GA HOT-DIPPED GALVANIZED SINGLE LEAVES WITH A 1" DEEP PAN FRAME DESIGN. EACH NON-BURN ROOM CLOSURE ACCESSIBLE FROM THE GROUND SHALL BE PROVIDED WITH (1) STAINLESS STEEL CONTINUOUS HINGE, (1) SLAM LATCH, (1) KEYED LEVER ON THE EXTERIOR SIDE OF THE CLOSURE, AND (1) PASSAGE LEVER ON THE INTERIOR SIDE OF THE CLOSURE. EACH NON-BURN ROOM CLOSURE NOT ACCESSIBLE FROM THE GROUND SHALL BE PROVIDED WITH (1) STAINLESS STEEL CONTINUOUS HINGE, (1) SLAM LATCH, (1) PASSAGE LEVER ON THE EXTERIOR SIDE OF THE CLOSURE, AND (1) PASSAGE LEVER ON THE INTERIOR SIDE OF THE CLOSURE. EACH BURN ROOM CLOSURE SHALL BE PROVIDED WITH ONE OF THE ABOVE HARDWARE SETS AND SHALL INCLUDE (3) "PADGENITE" MOUNTING CHANNELS WELDED ON THE EXTERIOR SIDE OF THE CLOSURE. ALL CLOSURES SHALL BE INSTALLED WITH EQUAL SPACING BETWEEN THE FRAMED OPENING AND THE CLOSURE PAN. ALL SILL ELEVATIONS SHALL BE 42" ABOVE FINISHED FLOOR ELEVATION.
- 9) FLOOR DECKS ABOVE GRADE SHALL BE CONCRETE OVER GALVANIZED 15" C-DECK FASTENED DIRECTLY TO FLOOR JOISTS USING SELF-DRILLING/SELF-THREADING TEK SCREW FASTENERS AT 6" O.C. INCREMENTS. ALL FLOOR DECKS SHALL REQUIRE FIELD CUTTING AND FITTING AS REQUIRED TO ACCOMMODATE THE BUILDING CONFIGURATION. CONCRETE FILL SHALL BE 4" IN DEPTH. CONCRETE SHALL BE A SMALL AGGREGATE CONCRETE WITH FIBER MESH REINFORCING. CONCRETE SHALL BE PITCHED TO EXTERIOR WALLS AND DOOR OPENINGS. FINISH SHALL BE A LIGHT BROWN FINISH. (CONCRETE FILL BY OTHERS)
- 10) ALL CORROUGATED ROOF AND WALL PANELS ARE TO BE PREFINISHED IN ONE OF 13 STANDARD COLORS. COMPOUND CORROUGATED WALL PANELS ARE 3'-5" WIDE AND 4"-DEEP. COMPOUND CORROUGATED ROOF PANELS ARE TO BE 3'-5" WIDE AND 7"-DEEP. ALL WALL AND ROOF PANELS ARE TO BE BOLTED AT 6" O.C. INCREMENTS UTILIZING  $\frac{3}{8}$ " DIAMETER BOLT FASTENERS PROVIDED IN A COLOR TO MATCH THE WALL OR ROOF PANEL COLOR.
- 11) ALL INTERIOR WALL PARTITIONS SHALL BE CONSTRUCTED OF 4X" X 18 GA GALVANIZED METAL STUDS AT 24" O.C. AND 4X" X 18 GA GALVANIZED METAL TRACK. ALL SIDES OF INTERIOR PARTITIONS NOT RECEIVING BURN ROOM PANELS SHALL RECEIVE 18 GA GALVANIZED SHEETING FASTENED WITH #8 X  $\frac{3}{8}$ " LOW PROFILE TEK SCREWS AT 12" O.C.

## HIGH RISE - FIVE STORY FIRE TRAINING SIMULATOR

FIRE DEPARTMENT TRAINING SIMULATOR


A DIV. OF J.S.C. INC  
9121 BOND OVERLAND PARK, KS 66214  
TEL: 913-385-3863 FAX: 913-385-3517  
TOLL FREE: 1-800-351-2525

w h p trainingtowers.com




PROJECT NUMBER:	00-W-000	REVISION DATES:
PROJECT DIRECTOR:	1	
DRAWN BY:	PK	
REVISED BY:	JF	
PRINT DATE:	06-00-00	4

FOUNDATION PLAN



**TOWER AND RESIDENTIAL 2ND FLOOR PLAN AND ANNEX ROOF PLAN**  
NOT TO SCALE



**TOWER, RESIDENTIAL, AND ANNEX 1ST FLOOR PLAN**  
NOT TO SCALE

PROJECT NUMBER:	00-W-000	REVISION DATES:	
PROJECT DIRECTOR:	PW	1	
DRAFTER BY:	PW	2	
REVIEWED BY:	PW	3	
PRINT DATE:	06-00-00	4	
FIRST FLOOR AND SECOND FLOOR PLANS			

## HIGH RISE - FIVE STORY FIRE TRAINING SIMULATOR

FIRE DEPARTMENT TRAINING SIMULATOR


w h p trainingtowers.com  
A DIV. OF J.S.C. INC  
9121 BOND OVERLAND PARK, KS 66214  
TEL 913-385-3863 FAX: 913-385-7078  
TOLL FREE 1-800-351-2525  
www.trainingtowers.com

THIS INFORMATION CONFORMS TO ALL APPLICABLE STANDARDS FOR FIRE TRAINING SIMULATORS AT THE TIME OF PREPARATION.


THE ERECTION CONTRACTOR ASSUMES RESPONSIBILITY FOR ALL MATERIALS AT THE TIME OF RECEIPT. THIS CONTRACTOR IS TO BE HELD RESPONSIBLE FOR ANY DEFECTS IN THE ERECTED STRUCTURE. IF THERE IS A DISCREPANCY IN THE MATERIAL RECEIVED, CONTACT W.P. TRAINERS TO PROVIDE THE NECESSARY ARRANGEMENTS.

THIS SET OF DRAWINGS IS INTENDED AS A CONCEPTUAL SET, DEVELOPED FOR DESIGN REFERENCE ONLY. REFER TO RELATED INDIVIDUAL CONSTRUCTION DRAWINGS AND THE MISCCELLANEOUS RETAIL DRAWINGS AS PRIMARY REFERENCES FOR EXACT MATERIAL, DIMENSION, SECTION AND FINISH REQUIREMENTS.

NEVER DRILL, PUNCTATE, HEAT, SCRATCH, OR DAMAGE ANY AND SUCH. REMOVE THE PROPERTY OF W.P. TRAINERS AND NO PART THEREOF SHALL BE COPIED, REPRODUCED, OR USED IN CONNECTION WITH ANY OTHER PROJECT UNLESS EXPRESS WRITTEN APPROVAL IS OBTAINED FROM W.P. TRAINERS FOR WHICH THEY HAVE BEEN PROVIDED WITHOUT WRITTEN CONSENT OF W.P. TRAINERS.



TOWER 3RD FLOOR PLAN AND RESIDENTIAL ATTIC PLAN  
NOT TO SCALE



TOWER 4TH FLOOR PLAN  
NOT TO SCALE

PROJECT NUMBER:	00-W-000	REVISION DATES:	
PROJECT DIRECTOR:	PW	1	
DRAFTER BY:	PW	2	
REVIEWED BY:	PW	3	
PRINT DATE:	06-00-00	4	
THIRD FLOOR AND FOURTH FLOOR PLANS			

## HIGH RISE - FIVE STORY FIRE TRAINING SIMULATOR

FIRE DEPARTMENT TRAINING SIMULATOR



THIS INFORMATION CONFORMS TO ALL APPLICABLE STANDARDS FOR FIRE TRAINING SIMULATORS AT THE TIME OF PREPARATION.

THE EJECTION CONTRACTOR ASSUMES RESPONSIBILITY FOR ALL MATERIALS, AT THE TIME OF RECEIPT, THIS CONTRACTOR IS TO CHECK THE MATERIALS FOR DEFECTS AND SIGN OFF AT THE TIME OF RECEIPT. IF THERE IS A DISCREPANCY IN THE MATERIAL RECEIVED, CONTACT WFP TRANSMITTERS IMMEDIATELY. MAKE APPROPRIATE ARRANGEMENTS TO PROVIDE THE NECESSARY REPAIRS.

THIS SET OF DRAWINGS IS INTENDED AS A CONCEPTUAL SET, DEVELOPED FOR DESIGN REFERENCE ONLY. REFER TO RELATED INDUSTRIES CONSTRUCTION DRAWINGS AND THE MISCCELLANEOUS RETAIL DRAWINGS AS PRIMARY SOURCE FOR EXACT MEASUREMENTS, DIMENSIONS, SECTION AND PROJECTION DETAILS.

NEVER DRILL, SPECIFICATIONS, MEAL, DESIGN, AND ARRANGEMENTS ARE AND SHALL REMAIN THE PROPERTY OF WFP TRANSMITTERS AND NO PART THEREOF SHALL BE COPIED, REPRODUCED, OR USED IN CONNECTION WITH ANY OTHER PROJECT, UNLESS EXPRESS WRITTEN APPROVAL IS OBTAINED FROM WFP TRANSMITTERS FOR WHICH THEY HAVE BEEN PROVIDED WITHOUT WRITTEN CONSENT OF WFP TRANSMITTERS.

PROJECT NUMBER:	00-W-000	REVISION DATES:	
PROJECT DIRECTOR:	PW	1	
DRAFTER BY:	PW	2	
REVIEWED BY:	PW	3	
PRINT DATE:	06-00-00	4	
THIRD FLOOR AND FOURTH FLOOR PLANS			



whp training@owers.com  
A DIV. OF J.S.C. INC  
9121 BOND OVERLAND PARK, KS 66214  
TEL. 913-385-3863 FAX: 913-385-7078  
TOLL FREE 1-800-351-2525  
www.owers.com

## HIGH RISE - FIVE STORY FIRE TRAINING SIMULATOR

FIRE DEPARTMENT TRAINING SIMULATOR

PROJECT NUMBER:	00-W-000	REVISION DATES:
PROJECT DIRECTOR:	PW	1
DRAWN BY:	PW	2
REVIEWED BY:	PW	3
PRINT DATE:	06-00-00	4

ROOF PLANS

## HIGH RISE - FIVE STORY FIRE TRAINING SIMULATOR

FIRE DEPARTMENT TRAINING SIMULATOR

ELEVATIONS

5

THIS INFORMATION CONFORMS TO ALL APPLICABLE STANDARDS FOR FIRE TRAINING SIMULATORS AS PER THE CODE OF NEBRASKA.  
THE ERECTION CONTRACTOR ASSUMES RESPONSIBILITY FOR ALL MATERIALS, AT TIME OF RECEIPT, THIS CONTRACTOR IS TO CHECK FOR ANY DEFECTS OR DAMAGE THAT OCCURRED AT THE TIME OF RECEIPT. IF THERE IS A DISCREPANCY IN THE MATERIAL RECEIVED, CONTACT WNP TRANSMITTERS IMMEDIATELY AND MAKE APPROPRIATE ARRANGEMENTS TO PROVIDE THE NECESSARY REPAIRS.  
THIS SET OF DRAWINGS IS INTENDED AS A CONTRACTOR SET. IT IS PROVIDED FOR DESIGN REFERENCE ONLY. REFER TO OTHER INDUSTRIES CONSTRUCTION DRAWINGS AND THE MISCCELLANEOUS METALS DRAWINGS AS PRIMARY SOURCE FOR EXACT MATERIAL DIMENSIONS, SECTION AND PRODUCTION REQUIREMENTS.  
NEVER DRILL, PUNCTURE, HEAT, SCRATCH, OR DAMAGE ANY AND SHALL REMOVE THE PROPERTY OF WNP TRANSMITTERS AND NO PART THEREOF SHALL BE COPIED, APPROXIMATED, OR USED IN CONNECTION WITH ANY OTHER PURPOSE. THIS DRAWING IS THE PROPERTY OF WNP TRANSMITTERS WHICH MAY HAVE BEEN PREPARED WITHOUT WRITTEN CONSENT OF WNP TRANSMITTERS.

PROJECT NUMBER: 00-W-000 REVISION DATES:

1

P/R

2

P/R

3

P/R

4

P/R

PRINTED BY:

JSC

PRINT DATE:

06-00-00

4

P/R

5

P/R

6

P/R

7

P/R

8

P/R

9

P/R

10

P/R

11

P/R

12

P/R

13

P/R

14

P/R

15

P/R

16

P/R

17

P/R

18

P/R

19

P/R

20

P/R

21

P/R

22

P/R

23

P/R

24

P/R

25

P/R

26

P/R

27

P/R

28

P/R

29

P/R

30

P/R

31

P/R

32

P/R

33

P/R

34

P/R

35

P/R

36

P/R

37

P/R

38

P/R

39

P/R

40

P/R

41

P/R

42

P/R

43

P/R

44

P/R

45

P/R

46

P/R

47

P/R

48

P/R

49

P/R

50

P/R

51

P/R

52

P/R

53

P/R

54

P/R

55

P/R

56

P/R

57

P/R

58

P/R

59

P/R

60

P/R

61

P/R

62

P/R

63

P/R

64

P/R

65

P/R

66

P/R

67

P/R

68

P/R

69

P/R

70

P/R

71

P/R

72

P/R

73

P/R

74

P/R

75

P/R

76

P/R

77

P/R

78

P/R

79

P/R

80

P/R

81

P/R

82

P/R

83

P/R

84

P/R

85

P/R

86

P/R

87

P/R

88

P/R

89



P/R

90

P/R

91

P/R




## HIGH RISE - FIVE STORY FIRE TRAINING SIMULATOR

FIRE DEPARTMENT TRAINING SIMULATOR


THIS INFORMATION CONFORMS TO ALL APPLICABLE STANDARDS FOR FIRE TRAINING SIMULATORS AS THE TIME OF PREPARATION.  
THE ERECTION CONTRACTOR ASSUMES RESPONSIBILITY FOR ALL MATERIALS, AT THE TIME OF RECEIPT, THIS CONTRACTOR IS TO CHECK MATERIALS FOR ACCEPTABILITY AND SIGN OFF AT THE TIME OF RECEIPT. IF THERE IS A DISCREPANCY IN THE MATERIAL RECEIVED, CONTACT WFP TRANSMITTERS IMMEDIATELY. MAKE APPROPRIATE ARRANGEMENTS TO PROVIDE THE NECESSARY REPAIRS.  
THIS SET OF DRAWINGS IS INTENDED AS A CONCEPTUAL SET. PROVIDED FOR DESIGN REFERENCE ONLY. REFER TO RELATED INDIVIDUAL CONSTRUCTION DRAWINGS AND THE MISCELLANEOUS RETAIL SPANNERS AS PRIMARY SOURCE FOR EXACT MEASUREMENTS, DIMENSIONS, SECTION AND DETAIL REQUIREMENTS.  
NEVER DRILL, SPECIFICATIONS, HEAT, DESIGN, AND REQUIREMENTS ARE AND SHALL REMAIN THE PROPERTY OF WFP TRANSMITTERS AND NO PART THEREOF SHALL BE COPIED, REPRODUCED, OR USED IN CONNECTION WITH ANY OTHER PROJECT. THIS SET OF DRAWINGS IS THE PROPERTY OF WFP TRANSMITTERS AND IS PROVIDED PURSUANT TO THE AGREEMENT FOR WHICH THEY HAVE BEEN PROVIDED WITHOUT WRITTEN CONSENT OF WFP TRANSMITTERS.

PROJECT NUMBER:	00-W-000	REVISION DATES:
PROJECT DIRECTOR:	P.K.	1
DRAWN BY:	P.K.	2
REVIEWED BY:	P.K.	3
PRINT DATE:	06-00-00	4


REAR SIDE  
AND RIGHT SIDE  
ELEVATIONS




## EXTERIOR VIEW




**RAPPELLING ANCHOR INSTALLATION DETAILS**




CLOSURE SECTION DETAIL  
NOT TO SCALE



## JAMB @ INTERIOR WALL



JAMB @ 12 GA CEE VERTICAL  
NOT TO SCALE



**FRAME TYPES**

- I      TO STEM WALL 100'-0" T.O. S.D.G.
- II     BOTTOM OF FRAME ON STEM WALL
- III    BOTTOM OF FRAME ON STEM WALL
- IV    T.O. STEM WALL 99'-8" T.O. S.D.G.
- V    BOTTOM OF FRAME ON STEM WALL
- VI    TO FIN FLOOR ELEV. VARIES
- VII    TO FIN FLOOR ELEV. VARIES
- VIII    TO FIN FLOOR ELEV. VARIES

Hardware	Hardware Sets											
	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12
SS BUTT HINGE	3	3	3	3	3	3	6	6				
SS CONTINUOUS HINGE									1	1	1	1
LOCKSET	1				1		1					
PASSAGE SET		1				1						
DOOR PULL			1	1					1			
BALL CATCH			1	1					1			
SPRING CLOSE			2	2					4			
BARREL BOLT			1				1	2				
ASTRIGAL							1	1				
DOOR SWEEP	1	1	1	1			2	2				
SLAM LATCH									1	1	1	1
SLAM LATCH STRIKE									1	1	1	1
INTERIOR HANDLE-STANDARD									1	1		
INTERIOR HANDLE-BURN ROOM											1	1
LOCKING HANDLE									1		1	
NON-LOCKING HANDLE										1		1

**WINDOW SHUTTER SCHEDULE**

OPENING NUMBER	TYPE	APPROXIMATE SHUTTER WIDTH	APPROXIMATE SHUTTER HEIGHT	APPROXIMATE CUTOUT WIDTH	ROUGH OPENING CUTOUT HEIGHT	SILL HEIGHT A.F.F.	GAUGE	MATERIAL & FINISH	PAINT FINISH	HARDWARE SET	REMARKS
V1	LOCKING NON-BURN ROOM SHUTTER	3'-3"	4'-0"	3'-2"	4'-1"	42"	12	G90	POWDER COAT	H9	
V2	LOCKING BURN ROOM SHUTTER	3'-3"	4'-0"	3'-2"	4'-1"	42"	12	G90	POWDER COAT	H11	PADGENITE INTERIOR FACE
V3	LOCKING ATTIC SHUTTER	3'-3"	3'-0"	3'-2"	3'-1"	3"	12	G90	POWDER COAT	H9	
V4	NON-LOCKING NON-BURN ROOM SHUTTER	3'-3"	4'-0"	3'-2"	4'-1"	42"	12	G90	POWDER COAT	H10	
V5	NON-LOCKING BURN ROOM SHUTTER	3'-3"	4'-0"	3'-2"	4'-1"	42"	12	G90	POWDER COAT	H12	PADGENITE INTERIOR FACE
V6	NON-LOCKING ATTIC SHUTTER	3'-3"	3'-0"	3'-2"	3'-1"	3"	12	G90	POWDER COAT	H10	

## HOLLOW METAL DOORS AND FRAMES SCHEDULE

LOCATION			GENERAL			FRAME			DOOR													
OPENING NUMBER	ROOM	FROM/TO	ROOM	QUANTITY		PAIR	WIDTH	HEIGHT	HANDLE/SWING	Hardware Set	Frame Type	Gauge	Material & Finish	Depth	Throat	JAMB FACE	HEAD FACE	JAMB ANCHORS	Door Type	Gauge	Material & Finish	REMARKS
101	EXTERIOR	F	STAIR TOWER	1	--	3'-0"	7'-0"	RHR	H1	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
102	STAIR TOWER	F	SECTION A	1	--	3'-0"	7'-0"	LH	H2	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
103	SECTION A	F	SECTION B	1	--	3'-0"	7'-0"	RH	H2	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
104	SECTION A	F	ELEVATOR SHAFT	1	--	3'-0"	7'-0"	RH	H2	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
105	EXTERIOR	F	SECTION B	1	PR	3'-0"	7'-0"	RHA	H7	II	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
106	EXTERIOR	F	SECTION B	1	--	3'-0"	7'-0"	RHR	H1	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
107	SECTION B	F	SECTION C	1	--	3'-0"	7'-0"	LH	H4	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
108	EXTERIOR	F	SECTION C	1	--	3'-0"	7'-0"	LH	H3	I	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
201	STAIR TOWER	F	SECTION A	1	--	3'-0"	7'-0"	LH	H2	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
202	SECTION A	F	SECTION B	1	--	3'-0"	7'-0"	RH	H2	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
203	SECTION A	F	BURN ROOM #2	1	--	3'-0"	7'-0"	RH	H4	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
204	EXTERIOR	F	SECTION A	1	--	3'-0"	7'-0"	LHR	H1	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
205	SECTION A	F	ELEVATOR SHAFT	1	--	3'-0"	7'-0"	LHR	H5	VIII	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
206	EXTERIOR	F	BURN ROOM #2	1	--	3'-0"	7'-0"	LH	H3	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
207	SECTION B	F	BURN ROOM #2	1	--	3'-0"	7'-0"	LH	H4	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
301	STAIR TOWER	F	SECTION A	1	--	3'-0"	7'-0"	LH	H2	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
302	EXTERIOR	F	SECTION A	1	--	3'-0"	7'-0"	RHR	H1	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
303	SECTION A	F	ELEVATOR SHAFT	1	--	3'-0"	7'-0"	LHR	H5	VIII	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
401	STAIR TOWER	F	BURN ROOM #3	1	--	3'-0"	7'-0"	LH	H4	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
402	SECTION A	F	BURN ROOM #3	1	--	3'-0"	7'-0"	RH	H4	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60	PADGENITE INTERIOR FACE				
403	EXTERIOR	F	SECTION A	1	--	3'-0"	7'-0"	LHR	H1	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
404	SECTION A	F	ELEVATOR SHAFT	1	--	3'-0"	7'-0"	LHR	H5	VIII	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
501	SECTION A ROOF	F	STAIR TOWER	1	--	3'-0"	7'-0"	LHR	H1	V	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					
502	SECTION A ROOF	F	ELEVATOR SHAFT	1	--	3'-0"	7'-0"	LHR	H5	VIII	16	A604-3/4" x 3-3/4"	1"	1"	ED	F	18 A60					

THIS INFORMATION CONFORMS TO ALL APPLICABLE  
STANDARDS FOR FIRE TRAINING SIMULATORS AT THE TIME  
OF PREPARATION.

THE ERECTION CONTRACTOR ASSUMES RESPONSIBILITY FOR ALL MATERIALS, AT TIME OF DELIVERY. THIS CONTRACTOR IS ALSO RESPONSIBLE TO ACCOUNT FOR ALL MATERIAL, AT TIME OF DELIVERY. IF THERE IS A DISCREPANCY IN THE MATERIAL DELIVERED, CONTACT IMP TRAINING/WORKERS IMMEDIATELY IN ORDER TO MAKE PROPER ARRANGEMENTS TO PROVIDE THE NECESSARY MATERIAL.

THIS SET OF DRAWINGS IS INTENDED AS A CONCEPTUAL  
SET, PROVIDED FOR SECONDARY REFERENCE ONLY. REFER  
TO BEHLEN INDUSTRIES CONSTRUCTION DRAWINGS AND THE  
MISCELLANEOUS METALS DRAWINGS AS PRIMARY REFERENCE  
FOR EXACT MATERIAL DIMENSIONS, ERECTION, AND  
PROCEDURES.

THESE DRAWINGS, SPECIFICATIONS, MEAS, DESIGNS, AND

MANAGERS ARE AND SHALL REMAIN THE PROPERTY OF  
HMP TRAININGERS AND NO PART THEREOF SHALL BE  
COPIED, REPRODUCED, OR USED IN CONNECTION WITH ANY  
OTHER PROJECT OTHER THAN THE SPECIFIC PROJECT FOR  
WHICH THEY HAVE BEEN PREPARED WITHOUT WRITTEN  
CONSENT OF HMP TRAININGERS.

DETAIL

REVISI

-000  
JPX  
JP  
00-00  
DETACH  
SCHEDUL  
ANCH

00-0  
SURE  
-, SCH  
LING

NUMBER:  
DIRECTOR  
BY: \_\_\_\_\_  
E: \_\_\_\_\_ / CLO  
DETAIL  
APPEL

RECEIVED  
PROJECT  
DRAWN BY:  
REVIEWED  
BY:  
PENT DATE:  
WINDOW  
DOOR  
AND RA

PRC DR RE PRI WI DC AL

1

7

1

ANSWER